

AGRICOLA (Agriculture Online Access Database)

Subject Coverage	<ul style="list-style-type: none"> • Agriculture • Animal Science • Biotechnology • Chemistry • Energy • Entomology • Food Science • Forestry • Genetics 	<ul style="list-style-type: none"> • Home Economics • Life Sciences • Natural Resources • Nutrition • Pesticides • Plant Diseases • Rural Society • Soil Science • Veterinary Medicine
File Type	Bibliographic	
Features	Thesaurus Alerts (SDIs) CAS Registry Number® Identifiers Keep & Share Learning Database	Controlled Term (/CT) Geographic Term (/GT) Monthly <input type="checkbox"/> Page Images <input checked="" type="checkbox"/> SLART <input type="checkbox"/> Structures
Record Content	<ul style="list-style-type: none"> • Worldwide coverage of agriculture and related fields • Records contain bibliographic information, geographic terms, controlled terms, and supplementary terms that include GenBank Numbers • Abstracts are available for about 20% of records 	
File Size	More than 7.1 million records (09/2020)	
Coverage	1970-present	
Updates	Monthly	
Language	English	
Database Producer	National Agricultural Library (NAL) U.S. Department of Agriculture (USDA) 10301 Baltimore Avenue Beltsville, MD 20705 U.S.A.	
Database Supplier	FIZ Karlsruhe STN Europe P.O. Box 2465 76012 Karlsruhe Germany Phone: +49-7247-808-555 Fax: +49-7247-808-259 Email: helpdesk@fiz-karlsruhe.de	

Sources

- Bibliographies
 - Serial Articles
 - Book Chapters
 - Monographs
 - Computer Files
 - Serials
 - Maps
 - Audiovisuals
 - Reports
 - Catalogs and chemical libraries from suppliers worldwide
-

User Aids

- Online Helps (HELP DIRECTORY lists all help messages available)
 - STNGUIDE
-

Cluster

- AGRICULTURE
- AUTHORS
- ALLBIB
- BIOSCIENCE
- CHEMISTRY
- COMPANIES
- CORPSOURCE
- ENVIRONMENT
- FOOD
- MEETINGS
- NPS
- TOXICOLOGY

STN Database Cluster information:

<http://www.stn-international.com/en/customersupport/customer-support#cluster+%7C+subjects+%7C+features>

Search and Display Field Codes

Fields that allow left truncation are indicated by an asterisk (*).

Search Field Name	Search Code	Search Example	Display Codes
Basic Index* (contains single words from the title (TI), CABA and Library of Congress controlled term (CT), supplementary term (ST), abstract (AB), named person (NA), corporate name (CO), note (NTE), geographic term, CABA and other (GT) fields)	None (or /BI)	S FORAGING S NATURAL PEST CONTROL? S STATE (L) COUNCIL# S GENBANK U35001	AB, CO, CT, GT, NA, NTE, ST, TI
Abstract*	/AB	S ORGANIC COMPOUND?/AB	AB
Accession Number	/AN	S 1998:2795/AN	AN
Author	/AU	S LEMASTERS J?/AU	AU
Availability (contains codes for filing and holding locations, NAL and Library of Congress call numbers designations)	/AV	S L1 AND DNAL/AV S MARINE SCIENCES AND DLC/AV S MIU/AV	AV
Classification Code (1)	/CC	S DAIRY/CC S CONSUMER ECONOMICS/CC	CC
Corporate Name (1)	/CO	S RESEARCH CENTER/CO	CO
Controlled Term, CABA and Library of Congress (2)	/CT	S CINCHONA/CT S ACID RAIN+ALL/CT	CT
Controlled Word (contains single words from CABA controlled terms and Library of Congress controlled terms)	/CW	S (AGRICULTUR? (S) WORK#)/CW	CT
Corporate Source (1)	/CS	S DEPARTMENT OF AGRICULTURE/CS S "ROSS LABORATORIES"/CS	CS
Country of Publication (ISO code and text)	/CY	S L1 AND GB/CY	CY
Document Number	/DN	S IND20496956/DN	DN
Document Type (code and text)	/DT (or /TC)	S L5 AND C/DT	DT
Entry Date (3)	/ED	S ED>=JAN 2012	ED
Field Availability	/FA	S AB/FA	FA
File Segment	/FS	S TRANSLATION/FS	FS
Geographic Term, CABA and other (2)	/GT	S EAST ASIA/GT S SHANGHAI+BT/GT	GT
International Standard (Document) Number (contains CODEN, ISSN, and ISBN)	/ISN	S 1000-1298/ISN	ISN, SO
Journal Title (contains full and abbreviated title)	/JT	S JOURNAL OF AGRIBUSINESS/JT S J AGRIBUSINESS/JT	JT, JTA, JTF, SO
Language (ISO code and text)	/LA	S FR/LA	LA
Meeting Title (1)	/MT	S WORLD PARKS/MT	MT, SO
Meeting Location (1)	/ML	S SAN DIEGO/ML	ML, SO
Meeting Year (3)	/MY	S 1995-1996/MY	MY, SO
Named Person	/NA	S OBAMA MICHELLE/NA	NA
Note	/NTE	S NOTEBOOK#/NTE	NTE
Number of Report	/NR	S AEC/NR	NR

Search and Display Field Codes (cont'd)

Search Field Name	Search Code	Search Example	Display Codes
Publication Year (3)	/PY	S 1996/PY	PY, SO
Publisher	/PB	S SPRINGER NEW YORK/PB	PB, SO
Source (contains publication title, collation information (volume, issue, pagination), meeting information, ISBN, ISSN, CODEN, publication date, publication frequency, Library of Congress control number, publication status, publisher, editors, government source, etc.)	/SO	S (CHROMATOGRAPHY AND ELSEVIER)/SO S JCRAEY/SO S VOLUME/SO	SO
Summary Language (code and text)	/SL	S EN/SL	SL
Supplementary Term (includes GenBank Numbers)	/ST	S NEST ABANDONMENT/ST S GENBANK U51451/ST	ST
Title*	/TI	S (RUN OFF OR RUNOFF)/TI	TI
Update Date (3)	/UP	S L4 AND UP>NOV 2012	ED
Word Count, Title (3)	/WC.T	S WC.T<3	WC.T

(1) Search with implied (S) proximity is available in this field.

(2) There is an online thesaurus associated with this field.

(3) Numeric search field that may be searched using numeric operators or ranges.

Property Fields₁₎

In AGRICOLA a numeric search for a specific set of physical properties (/PHP) is available within the abstract and title fields. The numeric values are not displayed as single fields, but highlighted within the hit displays.

Use EXPAND/PHP to search for all available physical properties. A search with the respective field codes will be carried out in the abstract and title fields. The /PHP index contains a complete list of codes and related text for all physical properties available for numeric search.

Field Code	Property	Unit	Search Examples
/AOS	Amount of substance	Mol	S 10/AOS
/BIR	Bit Rate	Bit (Bit)	S 100000-160000/BIR
/BIT	Stored Information	Bit	S BIT > 3 MEGABIT (10A) STORAGE
/CAP	Capacitance	Farad	S 1-10 MF/CAP
/CDN	Current Density	Ampere/Square Meter	S CDN>5 A/M**2
/CMOL	Molarity (Concentration, amount of substance)	mol/l	S MOLYBD?/BI (S) 2/CMOL
/CON	Conductance	S (Siemens)	S 1E-2/CON
/DB	Decibel	Decibel	S DB>50
/DEG	Degree	Degree	S (POLARI? (S) ANGLE)/BI (S) 45/DEG
/DEN	Density (Mass Density)	Kg/m ³	S (METHOD? (S) COMPO?)/AB (S) 5E-3-10E-3/DEN
/DEQ	Dose Equivalent	Sievert	S DEQ>0.5 (S) RADIATION
/DOS	Dosage	Milligram/Kilogram	S DOS>0.8
/DV	Viscosity, dynamic	Pa * s (Pascal * second)	S DV>5000

Property Fields¹⁾ (cont'd)

Field Code	Property	Unit	Search Examples
/ECD /ECH /ECO	Electric Charge Density Electric Charge Electrical Conductivity	m/z Coulomb Siemens/Meter	S 1-20/ECD.EX(XA)ELECTRICAL S 15/ECH S ECO>5000 (XA) GEOTHERMAL EFFECTS
/ELC /ELF /ENE /ERE /FOR /FRE /IU /KV /LEN (or /SIZ) /LUME	Electric Current Electric Field Energy Electrical Resistivity Force Frequency International Unit Viscosity, kinematic Length Luminous	Ampere Volt/Meter J (Joule) Ohm * Meter N (Newton) Hz (Hertz) none m ² /s Meter Lux	S 1-10/ELC S 1-10/ELF S NUTRIENTS AND 100/ENE S ERE>10 S 50 N/FOR S ANALY?/AB (10A) 0-3/FRE S IU>100 (P) INTERFERON S LUBRICANT/BI (S) 10E-5/KV S 1-4/LEN S 10-50/LUME
/LUMF	Emittance/Illuminance Luminous Flux (Luminous Power)	Lumen	S FLUID (P) LUMF>3
/LUMI /M /MCH /MFD (or /MFS)	Luminous Intensity Mass Mass to Charge Ratio Magnetic Flux Density	Candela Kg (Kilogram) none Tesla	S 5<LUMI<15 S ALLOY/BI (30A) 1E-10-1E-5/M S MCH=3 S MFD>0E-3(S)MAGNETIC RESONANCE
/MFR (or /MFL) /MM /MOLS /MVR	Mass Flow Rate Molar Mass Molality of Substance Melt Volume Rate; Melt Flow Rate	Kilogram/Second g/mol mol/kg g/10min	S MFR>1.2 S 2000-3000 G/MOL/MM S 01.-10 mol/kg/MOLS S 5-10/MVR
/NUC /PER	Nutrition Content Percent (Proportionality)	g/100kcal Percent	S NUC<100 (XW) NUTRIENT S (TITAN? (3A) DIOXID?)/AB (S) 53/PER
/PERA /PHV /POW	Permittivity, absolute pH Power	Farad/Meter pH W (Watt)	S 1-10/PERA (S) BUFFER S 7.4-7.6/PHV S (SOLAR? OR PHOTOVOLTAIC?)/BI (10A) 5-10/POW
/PRES (or /P)	Pressure	Pa (Pascal)	S (VACUUM (5A) DISTILL?)/BI (S) 1000-1100/PRES S RAD>100 S VOLTAGE/AB (P) 1-10/RES
/RAD /RES	Radioactivity Electrical	Bq (Becquerel) Ohm	S RAD>100 S VOLTAGE/AB (P) 1-10/RES
/RSP /SAR	Impedance/resistance Rotational Speed Area /Surface Area	Revolution/Minute m ²	S 5000-8000/RSP AND PARAFFIN S (COATING? OR FOIL?)/BI (S) 10-100/SAR
/SOL /STSC /TCO /TEMP (or /T)	Solubility Surface Tension Thermal Conductivity Temperature	Gram/100 gram J/m ² K (Kelvin) K (Kelvin)	S SOL>20 (10W) WATER S 60 J/M**2 /STSC S 2-17/TCO (S) THERM? S (STABILITY (25A) VITAMIN?) (S) 10/TEMP
/TIM /VEL (or /V) /VELA /VLR /VOL /VOLT	Time Velocity Velocity, angular Volumetric Flow Rate Volume Voltage	S (Second) m/s (Metre per Second) rpm Cubic Meter/Second m ³ V (Volt)	S CONDUCT?/AB (10W) 0-1/TIM S EVOL?/BI AND 2E-4-5E-4/VEL S VISCO?/AB (S) VELA<350 S 1-10/VLR (XA) VARIABILITY S ?EFFECT?/BI (15A) 1E-8-2E-8 /VOL S APPLICATION/BI(10A) 5E-3<VOLT<7E-3

(1) Exponential format is recommended for the search of particularly high or low values, e.g. 1.8E+7 or 1.8E7 (for 18000000) or 9.2E-8 (for 0.000000092).

Thesaurus Fields

Thesauri are present for the Controlled Term (/CT) and Geographic Term (/GT) search fields in the AGRICOLA File. The following Relationship Codes may be used with both the SEARCH and EXPAND commands in these fields.

Controlled Term (/CT)

Relationship Code	Content	Example
ALL AUTO (1)	All associated terms (SELF, BT, USE, UF, NT, RT) Narrower Terms (SELF, NT)	E BACTERIAL INSECTICIDES+ALL/CT E ORGANOCHLORINE INSECTICIDES+AUTO/CT
BT HIE	Broader Terms (SELF, BT) Hierarchy terms (all broader and Narrower Terms) (SELF, BT, NT)	E WEED CONTROL+BT/CT E VIRAL INSECTICIDES+HIE/CT
KT NT	Keyword Terms (SELF, KT) Narrower Terms (SELF, NT)	E CONTROL+KT/CT E ECOLOGY+NT/CT
PFT	All Preferred and Forbidden Terms (SELF, USE)	E NATURAL BALANCE+PFT/CT
RT	Related (see also) terms (SELF, RT)	E RAINY SEASON+RT/CT
STD	All Broader, Narrower, and Related Terms (SELF, BT, NT, RT)	E DISEASE CONTROL+STD/CT
UF USE	Used For terms (Forbidden Terms) (SELF, UF) Use terms (Preferred Terms) (SELF, USE)	E DROUGHT RESISTANCE+UF/CT E DROUGHT TOLERANCE+USE/CT

(1) Automatic Relationship Code is SET OFF. If you SET RELATION ON, the result of EXPAND without any relationship code is the same as described for AUTO.

Geographic Term (/GT)

Relationship Code	Content	Example
ALL AUTO (1)	All associated terms (SELF, BT, NOTE, USE, UF, NT, RT) Narrower Terms (SELF, NT)	E UK+ALL/GT S SCOTLAND+AUTO/GT
BT HIE	Broader Terms (SELF, BT) Hierarchy Terms (all Broader and Narrower Terms) (SELF, BT, NT)	E CONNECTICUT+BT/GT E USA+HIE/GT
KT NT	Keyword Terms (SELF, KT) Narrower Terms (SELF, NT)	E AMERICA+KT/GT S ECUADOR+NT/GT
PFT	All Preferred and Forbidden Terms (SELF, USE, UF)	E UNITED STATES OF AMERICA+PFT/GT
RT	Related (see also) Terms (SELF, RT)	E PUERTO RICO+RT/GT
STD	All Broader, Narrower, and Related Terms (SELF, BT, NT, RT)	E CARIBBEAN+STD/GT
UF	Used For terms (Forbidden Terms) (SELF, UF)	E USA+UF/GT
USE	Use terms (Preferred Terms) (SELF, USE)	E BRITAIN+USE/CT

(1) Automatic Relationship Code is SET OFF. If you SET RELATION ON, the result of EXPAND without any relationship code is the same as described for AUTO.

Thesaurus Field Descriptors

Code	Description
SELF (-->)	Thesaurus Term
BT	Broader Term
KT	Keyword Term (Permuted Index)
NOTE	Note
NT	Narrower Term
RT	Related Term
UF	Forbidden Term
USE	Preferred Term

DISPLAY and PRINT Formats

Any combination of formats listed below may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI SO, D L1 1-5 TI,SO. The fields are displayed in the order requested.

Hit-term highlighting is available in all fields. Highlighting must be on during SEARCH in order to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AB	Abstract	D TI AB
AN	Accession Number	D AN
AU	Author	D AU CS 1-5
AV	Availability	D AV
CC	Classification Code	D 2 4 6 CC
CO	Corporate Name	D CO
CS	Corporate Source	D CS
CT	Controlled Term, CABA and Library of Congress	D CT
CY	Country of Publication	D CY
DN	Document Number	D DN
DT (TC)	Document Type	D DT
FS	File Segment	D FS
GT	Geographic Term, CABA and other	D GT
ISN	International Standard (Document) Number (CODEN, ISBN, ISSN)	D ISN
JT (1)	Journal Title (JTF and JTA)	D JT
JTA (1)	Journal Title, Abbreviated	D JTA
JTF (1)	Journal Title, Full	D JTF
LA	Language	D LA SL
ML (1)	Meeting Location	D ML
MT (1)	Meeting Title	D MT
MY (1)	Meeting Year	D MY
NA	Named Person	D NA
NTE	Note	D NTE
NR	Number of Report	D NR
PB (1)	Publisher	D PB
PY (1)	Publication Year	D JT PY
SL	Summary Language	D LA SL
SO	Source	D SO
ST	Supplementary Term	D CT ST
TI	Title	D TI
WC.T (1)	Word Count, Title	D WC.T

DISPLAY and PRINT Formats (cont'd)

Format	Content	Examples
ABS IABS ALL	AN, AB ABS, with a text label AN, DN, TI, AU, CS, NR, SO, NTE, CY, DT, FS, LA, SL, AV, ED, AB, CC, GT, CT, ST, NA, CO	D ABS D IABS D L3 2 ALL
DALL IALL BIB	ALL, delimited for post-processing ALL, indented with text labels AN, DN, TI, AU, CS, NR, SO, NTE, CY, DT, FS, LA, SL, AV, ED (BIB is the default)	D DALL D L7 6 IALL D 1-
IBIB IND SCAN (2)	BIB, indented with text labels AN, CC, GT, CT, ST, NA, CO TI, CC, GT, CT, ST, NA, CO (random display without answer numbers)	D IBIB D IND D SCAN
TRIAL (TRI, SAM, SAMPLE, FREE)	TI, CC, GT, CT, ST, NA, CO	D SAM 2-4, 10
HIT KWIC OCC	Fields containing hit terms Hit terms plus 50 words on either side (Key-Word-In-Context) Number of occurrences of hit terms and fields in which they occur	D HIT D KWIC D OCC

(1) Custom display only.

(2) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers or an L-number containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y	N
Accession Number	AN	Y	N
Author	AU	Y	Y
Availability	AV	Y	Y
Citation	CIT	Y (2,3)	N
Classification Code	CC	Y	Y
CODEN	CODEN	N	Y
Controlled Term, CABA and Library of Congress	CT	Y	N
Corporate Name	CO	Y	Y
Corporate Source	CS	Y	Y
Country of Publication	CY	Y	Y
Document Number	DN	Y	Y
Document Type	DT (TC)	Y	Y
File Segment	FS	Y	Y
Geographic Term, CABA and other	GT	Y	Y

SELECT, ANALYZE, and SORT Fields (cont'd)

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
International Standard Book Number	ISBN	N	Y
International Standard (Document) Number	ISN	Y (4)	N
International Standard Serial Number	ISSN	N	Y
Journal Title	JT	Y	Y
Journal Title, Abbreviated	JTA	Y (5)	Y
Journal Title, Full	JTF	Y (5)	Y
Language	LA	Y	Y
Meeting Location	ML	Y	Y
Meeting Title	MT	Y	Y
Meeting Year	MY	Y	Y
Named Person	NA	Y	Y
Note	NTE	Y	N
Number of Report	NR	Y	Y
Occurrence Count of Hit Terms	OCC	N	Y
Publisher	PB	Y	Y
Publication Year	PY	Y	Y
Source	SO	Y (6)	N
Summary Language	SL	Y	Y
Supplementary Term	ST	Y	N
Title	TI	Y (default)	Y
Word Count, Title	WC.T	Y	Y

- (1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT CT.
- (2) SELECT HIT and ANALYZE HIT are not valid with this field.
- (3) Extracts first author, publication year, volume, and first page with a truncation symbol appended and with /RE appended to the terms created by SELECT.
- (4) Selects or analyzes the CODEN, ISBN, and ISSN with /ISN appended to the terms created by SELECT.
- (5) Appends /JT to the terms created by SELECT.
- (6) Selects or analyzes the CODEN, ISBN, and ISSN with /SO appended to the terms created by SELECT.

Sample Records**DISPLAY ALL OF JOURNAL**

AN 2012:26 AGRICOLA
 DN IND44618682
 TI Potential uses for cuphea oil processing byproducts and processed oils
 AU Tisserat, Brent; O'kuru, Rogers Harry; Cermak, Steven C; Evangelista, Roque L; Doll, Kenneth M
 SO Industrial crops and products (2012), Volume 35, Number 1, pp. 111-120
 Source Note: 2012 Jan., v. 35, no. 1
 NTE Electronic resource: <http://dx.doi.org/10.1016/j.indcrop.2011.06.019>
 (Available from publisher's Web site)
 DT Journal; Article
 FS Non-US
 LA English
 AV DNAL (SB13.I52)
 ED Entered STN: 4 Jan 2012
 Last updated on STN: 4 Jan 2012
 AB Summary: Cuphea spp. have seeds that contain high levels of medium chain fatty acids and have the potential to be commercially cultivated. In the course of processing and refining cuphea oil a number of byproducts are generated. Developing commercial uses for these byproducts would improve the economics of growing cuphea. Oil fractions and byproducts were obtained from processed seeds of cuphea germplasm line PSR 23 (Cuphea viscosissima × Cuphea lanceolata). We investigated the employment of oil byproducts as growth regulators and solid residues as organic soil

AGRICOLA

amendments on Calabrese broccoli (*Brassica oleracea* L, family Brassicaceae) seedling growth. Seed processing solid residue fractions, included presscake, bin trash, stem trash and seed trash. These fractions were ground and mixed into soil to obtain concentrations of 0, 0.5, 1, 3, and 10% (w/w). Ground presscake and bin trash could be employed as an organic soil amendment up to 1% without detrimental effects on broccoli. Ground seed meal (seed trash) was detrimental to seedling growth at all concentrations tested. Stem trash employed at 1% caused fresh and dry weights to increase 26.8 and 29.8%, respectively, compared to untreated broccoli seedlings. Stem trash could be employed up to 10% without a detrimental effect on broccoli seedlings. Solvent extraction to remove residual oils from residue fractions was also conducted to generate improved soil amendments. Generally, solvent extraction of seed-processing residue fractions improved the broccoli seedling growth responses. Administration of processed oils and their byproduct fractions as foliar sprays on broccoli seedlings was conducted at rates of 0, 10, 30, and 50 g L⁻¹. Plants were evaluated 72 h after spraying. Refined and crude oils had no effect on broccoli seedlings; gums and soapstock sprays had no effect at 10 or 30 g L⁻¹ concentrations but at 50 g L⁻¹ it killed seedlings. Distilled fatty acid fraction sprays killed broccoli seedlings at all tested concentrations. Certain oil byproduct fractions from cuphea oil processing can be employed as ;environmentally-friendly; herbicidal sprays. Calorific evaluation of cuphea ag-wastes were conducted and found to compare well to other biomass energy sources.

CC W000 Pollution; J500 Soil Fertility, Fertilizers and Manures; F600 Plant Physiology and Biochemistry
 CT Cuphea; cuphea seed oil; processing waste; soil amendments; *Brassica oleracea* var. *italica*; seedling growth
 ST *Cuphea viscosissima*; *Cuphea lanceolata*

DISPLAY BIB OF MONOGRAPHY

AN 2012:35 AGRICOLA
 DN CAT31091182
 TI Polyfluorinated chemicals and transformation products
 AU Knepper, Thomas P; Lange, F T; Barcelo, Damia
 SO (2012), xiii, 172 p. : ill., maps ; 24 cm.
 Series Title: Handbook of environmental chemistry ; v. 17.
 ISSN: 1867-979X ISBN: 9783642218712 (cased); 3642218717 (cased)
 Published by: Heidelberg ; New York : Springer, c2012
 Source Note: Pub. Frequency: Annual
 NTE LOC Control No.: 2011938273
 CY Germany
 DT (Monography)
 FS Non-US
 LA English
 AV DNAL (TD193.P64 2010)
 ED Entered STN: 4 Jan 2012
 Last updated on STN: 4 Jan 2012

In North America

CAS
 STN North America
 P.O. Box 3012
 Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
 Phone: 800-753-4227 (North America)
 614-447-3700 (worldwide)
 Fax: 614-447-3751
 E-mail: help@cas.org
 Internet: www.cas.org

In Europe

FIZ Karlsruhe
 STN Europe
 P.O. Box 2465
 76012 Karlsruhe
 Germany
 Phone: +49-7247-808-555
 Fax: +49-7247-808-259
 E-mail: helpdesk@fiz-karlsruhe.de
 Internet: www.stn-international.com

In Japan

JAICI (Japan Association for
 International Chemical Information)
 STN Japan
 Nakai Building
 6-25-4 Honkomagome, Bunkyo-ku
 Tokyo 113-0021, Japan
 Phone: +81-3-5978-3601 (Technical Service)
 +81-3-5978-3621 (Customer Service)
 Fax: +81-3-5978-3600
 E-mail: support@jaici.or.jp (Technical Service)
 customer@jaici.or.jp (Customer Service)
 Internet: www.jaici.or.jp