

Subject Coverage	<ul style="list-style-type: none"> Nucleic acid sequences and related descriptive data such as source organism, description, sequence length, and references Contiguous Sequence (CONTIG) data 																
File Type	Bibliographic, Sequence, Substance																
Features	<table border="0"> <tr> <td>Alerts (SDIs)</td> <td>Weekly</td> <td></td> <td></td> </tr> <tr> <td>CAS Registry Number® Identifiers</td> <td><input checked="" type="checkbox"/></td> <td>Page Images</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Keep & Share</td> <td><input checked="" type="checkbox"/></td> <td>SLART</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>Learning Database</td> <td><input type="checkbox"/></td> <td>Structures</td> <td><input type="checkbox"/></td> </tr> </table>	Alerts (SDIs)	Weekly			CAS Registry Number® Identifiers	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/>	Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/>	Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>
Alerts (SDIs)	Weekly																
CAS Registry Number® Identifiers	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/>														
Keep & Share	<input checked="" type="checkbox"/>	SLART	<input checked="" type="checkbox"/>														
Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>														
Record Content	<ul style="list-style-type: none"> GenBank (registered trademark of the U.S. Department of Health and Human Services) is a nucleic acid database produced by the National Institute of Health. Records in GenBank contain sequences and data such as the GenBank Locus Number, sequence description, source organism, sequence length, and references. In addition, the file contains records with Contiguous Sequences (CONTIG) data consisting of a set of overlapping clones or sequences from which a sequence can be obtained. Chemical Abstracts Service® has added CAS Registry Numbers for nucleic acids and the CA Abstract Numbers for the corresponding CA File references. 																
File Size	More than 220.4 million records (3/2017)																
Coverage	1982 to the present																
Updates	<ul style="list-style-type: none"> Updated daily Reloaded bimonthly 																
Language	English																
Database Producer	National Center for Biotechnology Information 8600 Rockville Pike Bethesda, MD 20892 USA																
Sources	The data are compiled primarily from journal literature and direct author submissions for otherwise unpublished sources																
User Aids	<ul style="list-style-type: none"> Online Helps (HELP DIRECTORY lists all help messages available) STNGUIDE 																
Cluster	<ul style="list-style-type: none"> AGRICULTURE ALLBIB AUTHORS BIOSCIENCE CASRNS CHEMISTRY <p>STN Database Cluster information: http://www.stn-international.com/en/customersupport/customer-support#cluster+%7C+subjects+%7C+features</p>																

Search and Display Field Codes

Nucleic acid sequences displayed in the SEQ field are not searchable in the GenBank File. You may search the sequences in the REGISTRY File and then search the resulting REGISTRY answer set L-number in the GenBank File.

Field that allows left truncation (/BI) is marked with an asterisk (*).

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index * (contains single words from the class identifier (CI), definition (DEF), feature (FEAT), GenBank accession number (GBN), locus (LOC), organism (ORGN), origin (SRT), supplementary term (ST), title (TI), and Comment (COMMENT) fields, as well as CAS Registry Numbers) (1)	None (or /BI)	S MINICIRCLE DNA S REGULATED (L) EXCISION S MAJOR (P) STRAIN S CHROMOSOME (S) CLONE S 139791-74-5 S ?PLAST?	CI, COMMENT, DEF, FEAT, GBN, LOC, ORGN, RN, SRT, ST, TI
Author	/AU	S COOK,G?/AU S COOK, G?/AU	AU
Class Identifier	/CI	S L1 AND BACTERIA/CI	CI
Contiguous Sequences (contains the GenBank Accession Numbers for the individual sequences in the contiguous sequence)	/CONT	S AC000098/CONT	CONT
Date (2)	/DATE	S DATE>=20000101 AND L8	DATE
Definition	/DEF	S T. CONGOLENSE/DEF	DEF
Entry Date (2)	/ED	S L1 AND ED>20000800	Not displayed
Feature	/FEAT	S REPEAT-REGION/FEAT	FEAT
Field Availability	/FA	S L1 AND ORGN/FA S L1 AND CONT/FA	Not displayed
Field Not Available	/FNA	S Y CHROMOSOME AND (286364-81-6 OR RN/FNA)	Not displayed
GenBank Accession Number (includes GenBank VERSION (VER))	/GBN	S M19751/GBN	GBN
Genome Project Identifier	/PJID	S 10729/PJID or S GENOMEPROJECT/PJID	PJID
Journal Title	/JT	S MOL. BIOCHEM. PARASIT?/JT	SO
Locus	/LOC	S TRBKPM2/LOC	LOC
Organism Name	/ORGN	S STRESS AND EUKARYOT?/ORGN	ORGN
Other Source	/OS	S L2 AND CA/OS S 107:110309/OS	OS
Publication Year (2)	/PY	S 2000/PY	SO
Sequence Length (2)	/SQL	S 964/SQL S 500-1000/SQL S SQL>100000	SQL
Source (contains journal title, collation information, (volume, issue, pages), and publication year)	/SO	S (MOL BIOCHEM AND 109)/SO	SO
Supplementary Term (Keyword)	/ST (or /KW)	S OPERON FUSION/ST S CARBAMOYL/ST (S) SYNTHETASE/ST	ST
Update Date (2)	/UP	S L7 AND UP>20000831	Not displayed

(1) A term with left truncation must contain at least four characters.

(2) Numeric search field that may be searched using numeric operators or ranges.

(3) Combined numeric and text field. Numbers of bases are numeric and may be searched using numeric operators or ranges. Base terms are text terms.

DISPLAY and PRINT Formats

Any combination of formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU. The fields are displayed in the order requested.

Hit-term highlighting is available in all fields except FEAT, SEQ, and VER. Highlighting must be on in order to use the HIT, KWIC, and OCC formats.

Format	Content	Examples
AU CI CONT DATE DEF FEAT GBN (1,2) LOC ORGN OS PJID RN SEQ SO SQL SRT ST (KW) TI (1)	Author Class Identifier (Molecule Type, Division Code) Contiguous Sequence Date Definition Feature (tabular display of Feature Key, Location, and Qualifier) GenBank Accession Number Locus Organism Name Other Source Genome Project Identifier CAS Registry Number Sequence Source Sequence Length Origin Supplementary Term Title	D L4 1-4 AU D CI 1,3-5 D CONT D DATE 5-10 D 1-3,7,8 DEF D FEAT D GBN 1-5 D L1 LOC 3 D 1,3,6 ORGN L5 D OS D PJID D RN 2 D L8 SEQ 1-3 D 1,4 SO D L1 SQL D SRT D ST L1 4 D TI 3,4 TOTAL
ALL SQIDE (IDE)	LOC, GBN, VER, RN, SQL, CI, DATE, DEF, ST, Source (ORGN), PJID, SRT, Comments, Reference (AU, TI, SO, OS), FEAT, SEQ, CONT (ALL is the default) Sequence Identifying Fields (LOC, GBN, VER, RN, SQL, PJID, DEF, FEAT, SEQ, CONT)	D ALL D IDE 3-5
HIT KWIC OCC (1)	Fields containing hit terms Hit terms with 20 words on either side (KeyWord In Context) Number of occurrences of hit terms and fields in which they occur	D L3 HIT D KWIC 2 NOH D OCC

(1) No online display fee for this format.

(2) For more information on the GenBank VERSION, see <http://www.ncbi.nlm.nih.gov/Sitemap/sequenceIDs.html>

GENBANK**SELECT, ANALYZE, and SORT Fields**

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Author	AU	Y	N
CAS Registry Number	RN	Y (2)	Y
Class Identifier	CI	Y	N
Contiguous Sequence	CONT	Y (3)	N
Date	DATE	Y	Y
Definition	DEF	Y	Y
Feature	FEAT	Y (4)	N
GenBank Accession Number	GBN	Y (default)	Y
Genome Project Identifier	PJID	Y	Y
Journal Title	JT	Y (4)	N
Keyword	KW	Y	N
Locus	LOC	Y	Y
Occurrence of Hit Terms	OCC	N	Y
Organism Name	ORGN	Y	Y
Other Source	OS	Y	N
Publication Year	PY	Y (4)	N
Sequence Length	SQL	N	Y
Supplementary Term	ST	Y	N
Title	TI	Y	N

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT RN.

(2) Appends /BI to the terms created by SELECT.

(3) Selects GBN and appends /CONT to the terms created by SELECT.

(4) SELECT HIT and ANALYZE HIT are not valid with this field.

Sample Records

DISPLAY ALL

LOCUS (LOC): BE185916 GenBank (R)
 GenBank ACC. NO. (GBN): BE185916
 GenBank VERSION (VER): BE185916.1
 CAS REGISTRY NO. (RN): 274642-22-7
 SEQUENCE LENGTH (SQL): 401
 MOLECULE TYPE (CI): mRNA; linear
 DIVISION CODE (CI): Expressed sequence tag
 DATE (DATE): 10 May 2010
 DEFINITION (DEF): IL5-HT0731-120500-088-d12 HT0731 Homo sapiens cDNA,
 mRNA sequence.
 KEYWORDS (ST): EST
 SOURCE: Homo sapiens (human)
 ORGANISM (ORGN): Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
 Euteleostomi; Mammalia; Eutheria; Euarchontoglires;
 Primates; Haplorrhini; Catarrhini; Hominidae; Homo

COMMENT:

Contact: Simpson A.J.G.
 Laboratory of Cancer Genetics
 Ludwig Institute for Cancer Research
 Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
 Brazil
 Tel: +55-11-2704922
 Fax: +55-11-2707001
 Email: asimpson@ludwig.org.br
 This sequence was derived from the FAPESP/LICR Human Cancer Genome
 Project. This entry can be seen in the following URL
<http://www.ludwig.org.br/scripts/gethtml2.pl?t1=&t2=IL5-HT0731-120500-088-d12&t3=2000-05-12&t4=1>
 Seq primer: puc 18 forward
 High quality sequence stop: 361.

REFERENCE: 1 (bases 1 to 401)
 AUTHOR (AU): Dias Neto,E.; Garcia Correa,R.; Verjovski-Almeida,S.;
 Briones,M.R.; Nagai,M.A.; da Silva,W. Jr.; Zago,M.A.;
 Bordin,S.; Costa,F.F.; Goldman,G.H.; Carvalho,A.F.;
 Matsukuma,A.; Baia,G.S.; Simpson,D.H.; Brunstein,A.;
 deOliveira,P.S.; Bucher,P.; Jongeneel,C.V.;
 O'Hare,M.J.; Soares,F.; Brentani,R.R.; Reis,L.F.; de
 Souza,S.J.; Simpson,A.J.
 TITLE (TI): Shotgun sequencing of the human transcriptome with ORF
 expressed sequence tags
 JOURNAL (SO): Proc. Natl. Acad. Sci. U.S.A., 97 (7), 3491-3496 (2000)
 OTHER SOURCE (OS): CA 132:261298

FEATURES (FEAT):

Feature Key	Location	Qualifier
source	1..401	/organism="Homo sapiens" /mol-type="mRNA" /db-xref="taxon:9606" /dev-stage="Adult" /clone-lib="HT0731" /note="Organ: head-neck; Vector: puc18; Site-1: SmaI; Site-2: SmaI; A mini-library was made by cloning products derived from ORESTES PCR (U.S. Letters Patent application No. 196,716 - Ludwig Institute for Cancer Research) profiles into the pUC 18 vector. Reverse transcription of tissue mRNA and cDNA amplification were performed under low stringency conditions."

GENBANK**DISPLAY ALL (cont'd)**

SEQUENCE (SEQ):

```

1 cccctcccc gggattcaaa ggtccagcga gagctcaccg gacgccgccc gaaccgcgac
61 gctttccaag gcggggggccc ctctcacggg gcgaacccat tccagggcgc cctgcccttc
121 acaaagaaaa gagaactctc cccgggggctc ccgcccggctt ttccgggatc ggtcgcgcta
181 ccgcactgga cgctcgcgg ggcccatctc cgccactccg gattcgggga tctgaaccgg
241 actccctttc gatcggccga gggcaacgga ggccatcgcc cgtcccttcg gaacggcgct
301 cgcccatctc tcaggaccga ctgacccatg ttcaactgct gttcacatgg aacccttctc
361 cactgtggcc ttcaaggtct cgtttgaata tttgctacta c

```

DISPLAY ALL (CONTIG RECORD)

```

LOCUS (LOC):                AE005172      GenBank (R)
GenBank ACC. NO. (GBN):    AE005172
GenBank VERSION (VER):    AE005172.1
SEQUENCE LENGTH (SQL):    14221815
MOLECULE TYPE (CI):       DNA; linear
DIVISION CODE (CI):       Contiguous sequences
DATE (DATE):              5 Mar 2010
DEFINITION (DEF):         Arabidopsis thaliana chromosome 1 top arm, complete
                             sequence.
SOURCE:                   Arabidopsis thaliana (thale cress)
  ORGANISM (ORGN):        Arabidopsis thaliana
                             Eukaryota; Viridiplantae; Streptophyta; Embryophyta;
                             Tracheophyta; Spermatophyta; Magnoliophyta;
                             eudicotyledons; core eudicotyledons; rosids; malvids;
                             Brassicales; Brassicaceae; Arabidopsis
REFERENCE:                 1 (bases 1 to 14221815)
  AUTHOR (AU):            Theologis,A.; Ecker,J.R.; Palm,C.J.; Federspiel,N.A.;
                             Kaul,S.; White,O.; Alonso,J.; Altaf,H.; Araujo,R.;
                             Bowman,C.L.; Brooks,S.Y.; Buehler,E.; Chan,A.; Chao,Q.;
                             Chen,H.; Cheuk,R.F.; Chin,C.W.; Chung,M.K.; Conn,L.;
                             Conway,A.B.; Conway,A.R.; Creasy,T.H.; Dewar,K.;
                             Dunn,P.; Etgu,P.; Feldblyum,T.V.; Feng,J.; Fong,B.;
                             Fujii,C.Y.; Gill,J.E.; Goldsmith,A.D.; Haas,B.;
                             Hansen,N.F.; Hughes,B.; Huizar,L.; Hunter,J.L.;
                             Jenkins,J.; Johnson-Hopson,C.; Khan,S.; Khaykin,E.;
                             Kim,C.J.; Koo,H.L.; Kremenetskaia,I.; Kurtz,D.B.;
                             Kwan,A.; Lam,B.; Langin-Hooper,S.; Lee,A.; Lee,J.M.;
                             Lenz,C.A.; Li,J.H.; Li,Y.; Lin,X.; Liu,S.X.; Liu,Z.A.;
                             Luros,J.S.; Maiti,R.; Marziali,A.; Militscher,J.;
                             Miranda,M.; Nguyen,M.; Nierman,W.C.; Osborne,B.I.;
                             Pai,G.; Peterson,J.; Pham,P.K.; Rizzo,M.; Rooney,T.;
                             Rowley,D.; Sakano,H.; Salzberg,S.L.; Schwartz,J.R.;
                             Shinn,P.; Southwick,A.M.; Sun,H.; Tallon,L.J.;
                             Tambunga,G.; Toriumi,M.J.; Town,C.D.; Utterback,T.; van
                             Aken,S.; Vaysberg,M.; Vysotskaia,V.S.; Walker,M.;
                             Wu,D.; Yu,G.; Fraser,C.M.; Venter,J.C.; Davis,R.W.
  TITLE (TI):             Sequence and analysis of chromosome 1 of the plant
                             Arabidopsis thaliana
  JOURNAL (SO):           Nature, 408 (6814), 816-820 (2000)
  OTHER SOURCE (OS):      CA 134:142622
REFERENCE:                 2 (bases 1 to 14221815)
  TITLE (TI):             Direct Submission
  JOURNAL (SO):           Submitted (30-NOV-2000) USDA, Plant Gene Expression
                             Center, 800 Buchanan Street, Albany, CA 94710, USA

```

FEATURES (FEAT):

Feature Key	Location	Qualifier
source	1..14221815	/organism="Arabidopsis thaliana" /mol-type="genomic DNA" /db-xref="taxon:3702" /chromosome="1" /map="top arm"

DISPLAY ALL (CONTIG RECORD) (cont'd)

CONTIG (CONT):

join(AC074298.1:1..298,AC007323.5:1..86293,
AC023628.3:27500..103801,AC061957.3:1..65931,AC009273.2:1..76158,
AC020622.3:184..47033,U89959.1:2161..55372,AC064879.3:1..91184,
complement(AC022521.4:24628..121668),
complement(AC009525.3:5320..99266),
complement(AC006550.2:201..78341),complement(AC005278.1:49..71097),
AC002560.2:153..100786,complement(AC003027.1:7674..119914),
complement(AC002411.1:201..76670),
complement(AC000104.1:202..107527),
complement(AC002376.1:176..100079),
complement(AC004809.1:201..89688),
complement(AC005322.2:301..53958),
complement(AC000098.1:7625..99300),AC005106.2:1..50549,
AC007153.2:1..103023,AC009999.2:1..79494,AC024174.2:141..74116,
AC025290.3:1..47000,AC068143.4:1..40700,
complement(AC007592.4:6667..91310),
complement(AC011001.2:5001..87752),
complement(AC067971.5:301..111464),
complement(AC022464.4:5570..102799),
complement(AC007583.2:1127..106740),AC026875.4:1..98313,
AC011438.3:337..86879,AC006932.8:9796..84046,
AC003981.2:1131..132082,complement(AC000106.1:200..109000),
complement(AC003114.1:201..59261),AC006416.2:1..16349,
AC003970.1:1..94717,AC000132.1:1..142870,AC004122.1:1299..67566,
AC005489.1:2613..100184,AC007067.4:912..80882,AC009398.6:1..45074,
complement(AC007354.3:541..70116),
complement(U95973.1:7053..113539),
complement(AC007259.4:661..97146),AC011661.5:2004..84454,
complement(AC007296.2:4..91566),
complement(AC002131.1:30741..123189),
complement(AC022522.2:1850..88643),AC025416.4:1..80226,
AC025417.4:1244..104024,AC012187.3:501..74128,AC007357.2:1..96834,
AC011810.8:2256..47626,AC027134.4:320..79579,
AC027656.4:2895..78854,AC068197.4:1..33265,AC007576.3:1054..111971,
AC012188.2:1..96128,AC010657.3:2522..69491,AC006917.6:1..128999,
AC012189.3:1..23452,AC007591.2:1..113730,AC013453.1:1575..90801,
AC034256.3:1..77321,AC010924.2:1..80370,AC006341.2:129..102073,
complement(AC011808.4:26955..91593),
complement(AC026237.4:45663..89231),
complement(AC051629.3:36135..92359),
complement(AC007651.2:201..111938),
complement(AC026479.2:121..7604),
complement(AC007843.6:69357..84894),AC022492.5:1..77194,
AC034257.3:3214..98750,AC034106.4:1..74933,AC034107.5:1..15613,
AC069551.4:918..74571,complement(AC013354.6:202..93434),
complement(AC026238.2:202..44879),
complement(AC011809.2:4124..108767),AC068602.2:616..85435,
AC069143.3:1..58638,AC025808.8:2401..107871,
complement(AC024609.2:59677..87774),
complement(AC007797.7:2438..119942),
complement(AC022472.2:19..91657),complement(AC026234.4:1..53707),
complement(AC027665.4:54270..99031),AC069251.5:846..135378,
complement(AC007369.2:201..102951),complement(AC012190.3:7..68986),
complement(AC036104.3:201..55513),AC015447.8:1..98794,
AC007727.2:1..83459,AC013482.2:1..78411,AC069252.4:1..91625,
complement(AC073942.2:201..36030),complement(AC068562.4:1..40951),
complement(AC006551.6:10458..107000),
complement(AC003979.2:201..81654),
complement(AF000657.1:6238..91949),
complement(AC002311.1:26463..85855),AC005292.4:553..73552,
AC007945.3:1088..33616,AC005990.1:3926..99722,AC002423.3:1..95168,
AC002396.1:1..119878,AC000103.2:1393..86313,
complement(AC004133.3:14385..105863),AC079374.3:1..95393,

GENBANK**DISPLAY ALL (CONTIG RECORD) (cont'd)**

complement (AC079281.2:713..97794) , AC084221.5:9952..32028,
 complement (AC079829.4:4202..95064) ,
 complement (AC013427.3:201..86912) , AC006535.7:1..91845,
 AC005508.1:1..66454, AC000348.2:1..101482, AC004557.2:3733..99490,
 AC005916.2:1..32413, AC012375.3:1..83614, AC079280.2:687..43073,
 AC069471.2:333..109661, complement (AC021044.5:7373..121720) ,
 complement (AC010155.3:10371..104163) ,
 complement (AC007508.2:23480..100661) ,
 complement (AC021043.4:5817..154716) , AC068667.4:1..125800,
 complement (AC079288.2:19523..35930) ,
 complement (AC008030.4:16101..95204) , AC022455.3:761..76832,
 complement (AC074176.3:6187..72058) , AC073506.9:1..54663,
 complement (AC025295.5:561..81393) , AC009917.2:7177..75599,
 AC007060.3:1..96183, AC004135.1:1001..66731,
 complement (AC000107.2:195..102393) , AC004793.2:1..74699,
 AC007654.2:4053..78347, AC027135.4:452..34231,
 complement (AC074360.4:9773..107856) ,
 complement (AC079041.4:23584..119420) ,
 complement (AC074309.2:4457..75298) ,
 complement (AC084165.1:5448..89759) , AC084110.3:1..17502,
 AC007767.3:1..125817, AC055769.2:3031..33100, AC017118.3:4218..90584,
 AC006424.5:1..87844, AC021045.2:1121..58691, AC027035.3:2428..52789,
 AC051630.2:1..88779, complement (AC069299.2:5628..34135) ,
 complement (AC010164.2:26470..103443) ,
 complement (AC022288.3:18024..80309) ,
 complement (AC015446.4:10619..124578) ,
 complement (AC007454.3:7849..88070) ,
 complement (AC023913.5:32867..82214) ,
 complement (AC023279.2:21379..117585) ,
 complement (AC007894.2:38291..85653) ,
 complement (AC018460.2:23820..110438) ,
 complement (AC079605.11:3103..104807) , AC069160.5:1..97088,
 complement (AC023064.3:7412..63489) ,
 complement (AC007887.9:201..158096) , AC021198.2:1..76151,
 AC027032.7:1..88767, complement (AC021666.3:35709..90659) ,
 AC006228.5:1..104600, AC025781.6:7795..111630, AC079278.1:1..1225,
 AC021199.5:1..68211, complement (AC007918.2:8315..115963) ,
 AC025782.5:1..91841, AC079028.10:1..11182, AC068901.6:1..69032,
 complement (AC020646.2:22118..103931) ,
 complement (AC007505.4:1..134499))

In North America

CAS
 STN North America
 P.O. Box 3012
 Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
 Phone: 800-753-4227 (North America)
 614-447-3700 (worldwide)
 Fax: 614-447-3751
 Email: help@cas.org
 Internet: www.cas.org

In Europe

FIZ Karlsruhe
 STN Europe
 P.O. Box 2465
 76012 Karlsruhe
 Germany
 Phone: +49-7247-808-555
 Fax: +49-7247-808-259
 Email: helpdesk@fiz-karlsruhe.de
 Internet: www.stn-international.com

In Japan

JAICI (Japan Association for
 International Chemical Information)
 STN Japan
 Nakai Building
 6-25-4 Honkomagome, Bunkyo-ku
 Tokyo 113-0021, Japan
 Phone: +81-3-5978-3601 (Technical Service)
 +81-3-5978-3621 (Customer Service)
 Fax: +81-3-5978-3600
 Email: support@jaici.or.jp (Technical Service)
 customer@jaici.or.jp (Customer Service)
 Internet: www.jaici.or.jp