

IPA (International Pharmaceutical Abstracts)

Subject Coverage	<p>Topics related to pharmaceuticals and the pharmaceutical industry, ranging from pharmaceutical chemistry and technology, to legislation and regulations, to the sociology, economics and ethics of drugs. Specifically, the topics include:</p> <ul style="list-style-type: none"> • Adverse Drug Reactions and Toxicity • Biopharmaceutics and Pharmaceutics • Cosmetics • Drug Evaluations and Interactions • Drug Metabolism and Body Distribution • Drug Stability • Environmental Toxicity • History • Information Processing • Institutional Pharmacy Practice • Investigational Drugs • Legislation and Regulations • Microbiology • Pharmacognosy • Pharmaceutical Education • Pharmaceutical Technology • Pharmacology and Pharmaceutical Chemistry • Pharmacy Practice • Preliminary Drug Analysis and Testing • Related Health Topics • Sociology and Economics and Ethics of Drugs 			
File Type	Bibliographic			
Features	Thesaurus	Controlled term (/CT) field		
	Alerts (SDI)	Twice a month or monthly (default)		
	CAS Registry Number® Identifiers	<input checked="" type="checkbox"/>	Page Images	<input type="checkbox"/>
	Keep & Share	<input checked="" type="checkbox"/>	SLART	<input type="checkbox"/>
	Learning Database	<input type="checkbox"/>	Structures	<input type="checkbox"/>
Record Content	<ul style="list-style-type: none"> • Bibliographic data • Abstracts • Indexing terms • Chemical names, abstracts • CAS Registry Numbers® • An online thesaurus is also available to help locate controlled vocabulary index terms. 			
File Size	More than 682,900 records (8/19)			
Coverage	1970-present			
Updates	Twice a month			
Language	English			

**Database
Producer**

Clarivate
Friars House, 160 Black Friars Rd.
London SE1 8EZ
United Kingdom
Phone: +44-20-7433-4000
Fax: +44-20-7433-4001
Helpdesk:+44-20-7433-4999

Clarivate
1500 Spring Garden Street
Philadelphia, PA 19130 USA
Phone: 800-336-4474
Fax: 215-386-2911
<http://science.thomsonreuters.com>

Clarivate
Palaceside Bldg. 5F
1-1-1 Hitotsubashi
Chiyoda-ku
Tokyo 100-0003
Japan
Phone: 3 5218 6500
Fax: 3-5218-7840
<http://science.thomsonreuters.com.jp>

Copyright Holder: Clarivate. For more information on Clarivate Terms of Business visit <http://clarivate.com/tob/>.

Sources

International Pharmaceutical Abstracts covering approximately 750 journals worldwide and all U.S. state pharmacy journals. Abstracts include information from:

- Abstracts
 - Bulletins
 - Editorials
 - Journal articles
 - Meetings
 - Notes
 - Presentations
 - Reviews
 - Translations
-

User Aids

- Online Helps (HELP DIRECTORY lists all help messages available)
 - STNGUIDE
-

Cluster

- ALLBIB
- AUTHORS
- CASRNS
- CHEMISTRY
- CORPSOURCE
- FORMULATIONS
- HEALTH
- MEDICINE
- PHARMCOLOGY
- TOXICOLOGY

STN Database Cluster information:
<http://www.stn-international.com/en/customersupport/customer-support#cluster+%7C+subjects+%7C+features>

Search and Display Field Codes

There are no fields that allow left truncation in this file.

Search Field Name	Search Code	Search Examples	Display Codes
Basic Index (contains single words from the title (TI), controlled term (CT), abstract (AB), index term (IT), and chemical name (CN) fields, as well as CAS Registry Numbers (RN))	None (or /BI)	S 302-79-4 S PREGNAN? (P) TRETINOIN S RETIN-A/BI	AB, CN, CT, IT, RN
Accession Number	/AN	S 92:419/AN S 1998:1234/AN	AN
Author	/AU	S CAMERA, M?/AU	AU
Chemical Name (includes names from the CN and RN fields)	/CN	S RETIN-A/CN	CN, RN
Classification Code (1) (code and text)	/CC	S TOPICAL PREPARATIONS/CC S TOPICAL/CC S "CATHARTICS AND LAXATIVES"/CC S 28/CC S 28:08/CC S 28:08.04/CC	CC
Controlled Term (2)	/CT	S CARDIAC DRUG#/CT S A-16686+ALL/CT	CT, IT
Controlled Word	/CW	S L2 AND DOMIODOL/CW	CT, IT
Corporate Source (1)	/CS	S DIV OF CARDIOL?/CS	CS
Document Number	/DN	S 29-05774/DN	DN
Document Type (code and text)	/DT	S L4 AND CONFERENCE/DT	DT
Entry Date (3)	(or /TC) /ED (or /UP)	S L4 AND ED>=20000100	Not displayed
Field Availability	/FA	S L4 AND AB/FA	Not displayed
File Segment (code and text)	/FS	S AORTA AND HUMAN/FS	FS
International Standard (Document Number (contains ISSN and CODEN))	/ISN	S LANCAO/ISN S 0023-7507/ISN	ISN, SO
Journal Title (contains full and abbreviated journal titles)	/JT	S US PHARM/JT	JT, JTA, JTF, SO
Language (code and text)	/LA	S ENGLISH/LA AND L1 S EN/LA AND L1	LA
Publication Date (3)	/PD	S PD>19990600	PD, SO
Publication Year (3)	/PY	S 1999-2000/PY	PY, SO
Section (code and text) (1)	/SC	S TOXICITY/SC S 4/SC	SC
Source (contains full and abbreviated journal titles, publication dates, collation information (volume, issue, pagination), CODEN, and ISSN)	/SO	S (THERAP? AND VOL 21)/SO	SO
Summary Language (code and text)	/SL	S JAPANESE/SL S JA/SL	SL
Title	/TI	S (PREGNAN? AND VITAMIN#)/TI	TI

(1) Search with implied (S) proximity is available in this field.

(2) There is a thesaurus associated with this field.

(3) Numeric search field that may be searched with numeric operators or ranges.

Controlled Term (/CT) Thesaurus

All relationship codes may be used with the SEARCH and EXPAND command in the Controlled Term (/CT) field.

Code	Content	Examples
ALL	All associated terms (SELF, OLD, USE, UF, RT)	E TRAGACANTH+ALL/CT
KT	Keyword Terms (Multiword phrases that contain the term (SELF, KT))	E TOXICITY+KT/CT
PFT	Preferred and Forbidden Terms (SELF, USE, UF)	E POLLUTION+PFT/CT
STD	Related terms (SELF, RT)	E DRUGS, ADVERSE REACTIONS+STD/CT
UF	Used For (forbidden) terms (SELF, UF)	E HYDROCHLOROTHIAZIDE+UF/CT
USE	Use (preferred) terms (SELF, USE)	E ORETIC+USE/CT

Thesaurus Field Descriptors

Code	Description
SELF	Term
KT	Keyword Term
OLD	Old Preferred Term
RT	Related Term
UF	Used For
USE	Use

DISPLAY and PRINT Formats

Any combination of display formats may be used to display or print answers. Multiple codes must be separated by spaces or commas, e.g., D L1 1-5 TI AU; D L1 1-5 TI,AU. The fields are displayed in the order requested.

Hit-term highlighting is available in all fields except CT and PY. Highlighting must be on during SEARCH in order to use the HIT, KWIC, and OCC display formats.

Format	Content	Examples
AB AN (1) AU CC (1) CN (1) CS CT (1,2) DN DT FS (1) ISN (2) IT (1) JT (2) JTA (2) JTF (2) LA PD (2) PY (2) RN (1) SC (1) SL SO TC (2) TI (1)	Abstract Accession Number Author Classification Code Chemical Name Corporate Source Controlled Term Document Number Document Type File Segment International Standard (Document) Number Index Term Journal Title Journal Title, Abbreviated Journal Title, Full Language Publication Date Publication Year CAS Registry Number Section Summary Language Source Treatment Code Title	D L4 1-4 AB D L1 3 AN D AU 1,3-5 D CC 5-10 D 1-3,7,8 CN D CS D 1 4 CT D DN 1-5 D L1 DT 3 D 1,3,6 FS L5 D ISN D IT 1,4 7 D JT 2 D JTA 2 D JTF 2 D L8 LA 1-3 D L1 PD D PY D RN L1 4 D SC 1-3 D SL 3,4 D SO 3 6 D TC D TI
ABS ALL BIB CBIB IALL IBIB IND (1) SAM (1) SCAN (1,3)	AB AN, DN, TI, AU, CS, SO, DT, FS, LA, SL, AB, SC, CC, IT, RN, CN AN, DN, TI, AU, CS, SO, DT, FS, LA, SL (BIB is the default) AN, DN, compressed Bibliographic Data ALL, indented with text labels BIB, indented with text labels SC, CC, IT, RN, CN TI, SC, CC, IT, RN, CN TI, SC, CC, IT, RN, CN (random display without answer numbers)	D ABS D ALL D BIB L2 5 D CBIB 1 3 D IALL D IBIB D TI IND D SAM TOTAL D SCAN
HIT KWIC OCC (1)	Fields containing hit terms Hit terms with 20 words on either side (KeyWord-In-Context) Number of occurrences of hit terms and fields in which they occur	D HIT 1 5 D 1-7 KWIC NOH D OCC

(1) No online display fee for this format.

(2) Custom display only.

(3) SCAN must be specified on the command line, i.e., D SCAN or DISPLAY SCAN.

SELECT, ANALYZE, and SORT Fields

The SELECT command is used to create E-numbers containing terms taken from the specified field in an answer set.

The ANALYZE command is used to create an L-number containing terms taken from the specified field in an answer set.

The SORT command is used to rearrange the search results in either alphabetic or numeric order of the specified field(s).

Field Name	Field Code	ANALYZE/ SELECT (1)	SORT
Abstract	AB	Y (2)	N
Accession Number	AN	Y	N
Author	AU	Y	Y
CAS Registry Number	RN	Y (2,3)	N
Chemical Name	CN	Y	N
	NAME	Y (2)	N
Chemical Name and CAS Registry Number	CHEM	Y (2)	N
Classification Code	CC	Y	Y
CODEN	CODEN	N	Y
Controlled Term	CT	Y (3)	N
Corporate Source	CS	Y	Y
Document Number	DN	Y	Y
Document Type	DT	Y	Y
File Segment	FS	Y	Y
Index Term	IT	Y (2)	N
International Standard (Document) Number	ISN	Y (4)	N
International Standard Serial Number	ISSN	N	Y
Journal Title	JT	Y (5)	Y
Journal Title, Abbreviated	JTA	Y	Y
Journal Title, Full	JTF	Y	Y
Language	LA	Y	Y
Occurrence Count of Hit Terms	OCC	N	Y
Publication Date	PD	Y	Y
Publication Year	PY	Y (3)	Y
Section	SC	Y	Y
Source	SO	Y (6)	N
Summary Language	SL	Y	Y
Title	TI	Y (default)	Y
Treatment Code	TC	Y	Y

(1) HIT may be used to restrict terms extracted to terms that match the search expression used to create the answer set, e.g., SEL HIT TI.

(2) Appends /BI to the terms created by SELECT.

(3) SELECT HIT and ANALYZE HIT are not valid with this field.

(4) Selects or analyzes the CODEN and ISSN with /ISN appended to the terms created by SELECT.

(5) Selects or analyzes the full and abbreviated titles with /JT appended to the terms created by SELECT.

(6) Selects or analyzes the CODEN and ISSN with /SO appended to the terms created by SELECT.

Sample Records

DISPLAY IALL

ACCESSION NUMBER: 2000:9274 IPA
DOCUMENT NUMBER: 37-09275
TITLE: Flurbiprofen loaded poly-epsilon-caprolactone
nanospheres: in vitro release study performed under
several conditions
AUTHOR: Gamisans, F.; Egea, M. A.; Garcia, M. L.; Lacoulonche,
F.; Chauvet, A.
CORPORATE SOURCE: Lab. de Chimie Minerale et Gen., Fac. de Pharm, 34060
Montpellier, France
SOURCE: Journal of Controlled Release (Netherlands), (Feb 14
2000) Vol. 64, pp. 315-318. 13 Refs.
CODEN: JCREEC; ISSN: 0168-3659.
DOCUMENT TYPE: Conference
LANGUAGE: English
ABSTRACT: Nanospheres of poly(epsilon-caprolactone) (poly-epsilon-caprolactone)
loaded with flurbiprofen were prepared and characterized, and in
vitro drug release from the nanospheres, in the presence and absence
of lysozyme(muramidase), was studied using a dialysis bag diffusion
technique and a dialysis inverse technique. The results showed that
the release of flurbiprofen from the nanospheres was biphasic,
characterized by an initial fast-release phase and a second
extended-release phase. In the presence of lysozyme, the
release of flurbiprofen was slower but complete. Ramune T. Dailide
SECTION: 9 Pharmaceutics; 10 Drug Stability
CLASSIFICATION: 28:08.04 Anti-inflammatory agents; 44:00 Enzymes
INDEX TERM: Flurbiprofen; release; nanospheres
INDEX TERM: Poly(epsilon-caprolactone); nanospheres; flurbiprofen
INDEX TERM: Lysozyme; incompatibilities; flurbiprofen
INDEX TERM: Anti-inflammatory agents; flurbiprofen; release
INDEX TERM: Release; flurbiprofen; nanospheres
INDEX TERM: Nanospheres; flurbiprofen; release
INDEX TERM: Enzymes; lysozyme; incompatibilities
INDEX TERM: Incompatibilities; lysozyme and flurbiprofen; release
INDEX TERM: Incompatibilities; flurbiprofen and lysozyme; release
INDEX TERM: Sustained-action medications; flurbiprofen; release
CAS REGISTRY NO.: 5104-49-4 (Flurbiprofen)
CAS REGISTRY NO.: 24980-41-4 (Poly(epsilon-caprolactone))
CAS REGISTRY NO.: 9001-63-2 (Lysozyme)
CHEMICAL NAME: Poly(epsilon-caprolactone) (Poly-epsilon-
caprolactone); Lysozyme (Muramidase)

DISPLAY BIB

AN 2000:9532 IPA
DN 37-09533
TI Antibiogram development for an outpatient dialysis center
AU Manley, H. J.; Bailie, G. R.; Neumann, M.
CS Albany Coll. of Pharm., 106 New Scotland Ave., Albany, NY 12208, USA
Internet: bailieg@acp.edu
SO Hospital Pharmacy (USA), (Mar 2000) Vol. 35, pp. 251-253. 12 Refs.
CODEN: HOPHAZ; ISSN: 0018-5787.
DT Journal
LA English

In North America

CAS
STN North America
P.O. Box 3012
Columbus, Ohio 43210-0012 U.S.A.

CAS Customer Center:
Phone: 800-753-4227 (North America)
614-447-3700 (worldwide)
Fax: 614-447-3751
Email: help@cas.org
Internet: www.cas.org

In Europe

FIZ Karlsruhe
STN Europe
P.O. Box 2465
76012 Karlsruhe
Germany
Phone: +49-7247-808-555
Fax: +49-7247-808-259
Email: helpdesk@fiz-karlsruhe.de
Internet: www.stn-international.com

In Japan

JAICI (Japan Association for
International Chemical Information)
STN Japan
Nakai Building
6-25-4 Honkomagome, Bunkyo-ku
Tokyo 113-0021, Japan
Phone: +81-3-5978-3601 (Technical Service)
+81-3-5978-3621 (Customer Service)
Fax: +81-3-5978-3600
Email: support@jaici.or.jp (Technical Service)
customer@jaici.or.jp (Customer Service)
Internet: www.jaici.or.jp